

Package ‘hmdbQuery’

December 5, 2025

Title utilities for exploration of human metabolome database

Description Define utilities for exploration of human metabolome database, including functions to retrieve specific metabolite entries and data snapshots with pairwise associations (metabolite-gene,-protein,-disease).

Version 1.31.0

Author Vince Carey <stvjc@channing.harvard.edu>

Suggests knitr, annotate, gwascat, testthat, rmarkdown

Depends R (>= 3.5), XML

Imports S4Vectors, methods, utils

Maintainer VJ Carey <stvjc@channing.harvard.edu>

License Artistic-2.0

LazyLoad yes

biocViews Metabolomics, Infrastructure

VignetteBuilder knitr

RoxygenNote 7.1.2

Encoding UTF-8

git_url <https://git.bioconductor.org/packages/hmdbQuery>

git_branch devel

git_last_commit b49e9e6

git_last_commit_date 2025-10-29

Repository Bioconductor 3.23

Date/Publication 2025-12-04

Contents

biospecimens,HmdbEntry-method	2
diseases,HmdbEntry-method	2
hmdb1	3
HmdbEntry	3

HmdbEntry-class	4
hmdb_disease	5
hmdb_gene	5
hmdb_omim	6
hmdb_protein	6
store,HmdbEntry-method	7
tissues,HmdbEntry-method	7

Index	9
--------------	----------

biospecimens,HmdbEntry-method
<i>extract biospecimen associations</i>

Description

extract biospecimen associations

Usage

```
## S4 method for signature 'HmdbEntry'  
biospecimens(x)
```

Arguments

x HmdbEntry instance

Value

character vector

Examples

```
data(hmdb1)  
biospecimens(hmdb1)
```

diseases,HmdbEntry-method
<i>extract disease associations</i>

Description

extract disease associations

Usage

```
## S4 method for signature 'HmdbEntry'  
diseases(x)
```

Arguments

x HmdbEntry instance

Value

DataFrame

Examples

```
data(hmdb1)
diseases(hmdb1)
```

hmdb1

hmdb1: demonstration HMDB entry

Description

hmdb1: demonstration HMDB entry

Usage

hmdb1

Format

HmdbEntry instance

Source

www.hmdb.ca

HmdbEntry

Constructor for HmdbEntry instance

Description

Constructor for HmdbEntry instance

Usage

```
HmdbEntry(
  prefix = "http://www.hmdb.ca/metabolites/",
  id = "HMDB0000001",
  keepFull = TRUE
)
```

Arguments

prefix	character(1) URL of HMDB source accepting queries for XML documents
id	character(1) HMDB identifier tag
keepFull	logical(1) indicating that entire parsed XML will be retained

Value

instance of HmdbEntry, or a list

Note

The XML returned by hmdb.ca can have different structures for different metabolites. If the mapping from XML to list is not as anticipated for a given metabolite, the xmlToList result is returned with a warning. Such entries should be reported to the hmdbQuery maintainer for map revision.

Examples

```
HmdbEntry()
```

HmdbEntry-class	<i>basic container for an HMDB metabolite entry</i>
-----------------	---

Description

basic container for an HMDB metabolite entry

Slots

metabolite	character(1) institutional name of metabolite
id	HMDB identifier
diseases	S4Vectors DataFrame instance listing associated diseases
biospecimens	S4Vectors DataFrame instance listing associated biospecimens
tissues	S4Vectors DataFrame instance listing associated tissues
store	contains parsed XML

Note

Ontological tagging of diseases and other associated elements should be considered.

hmdb_disease	<i>hmdb_disease: Sept 2017 extract from hmdb.ca of direct disease associations</i>
--------------	--

Description

hmdb_disease: Sept 2017 extract from hmdb.ca of direct disease associations

Usage

hmdb_disease

Format

S4Vectors DataFrame

Note

This table also includes a column of metabolite name.

Source

www.hmdb.ca xml

hmdb_gene	<i>hmdb_gene: Sept 2017 extract from hmdb.ca of direct gene associations</i>
-----------	--

Description

hmdb_gene: Sept 2017 extract from hmdb.ca of direct gene associations

Usage

hmdb_gene

Format

S4Vectors DataFrame

Source

www.hmdb.ca xml

hmdb_omim	<i>hmdb_omim: Sept 2017 extract from hmdb.ca of direct omim associations</i>
-----------	--

Description

hmdb_omim: Sept 2017 extract from hmdb.ca of direct omim associations

Usage

hmdb_omim

Format

S4Vectors DataFrame

Source

www.hmdb.ca xml

hmdb_protein	<i>hmdb_protein: Sept 2017 extract from hmdb.ca of direct protein associations</i>
--------------	--

Description

hmdb_protein: Sept 2017 extract from hmdb.ca of direct protein associations

Usage

hmdb_protein

Format

S4Vectors DataFrame

Source

www.hmdb.ca xml

store,HmdbEntry-method

extract general association metadata in store slot

Description

extract general association metadata in store slot

Usage

```
## S4 method for signature 'HmdbEntry'  
store(x)
```

Arguments

x HmdbEntry instance

Value

list

Examples

```
data(hmdb1)  
names(store(hmdb1))
```

tissues,HmdbEntry-method

extract tissue associations

Description

extract tissue associations

Usage

```
## S4 method for signature 'HmdbEntry'  
tissues(x)
```

Arguments

x HmdbEntry instance

Value

character vector

Examples

```
data(hmdb1)
tissues(hmdb1)
```


Index

* datasets

- hmdb1, [3](#)
- hmdb_disease, [5](#)
- hmdb_gene, [5](#)
- hmdb_omim, [6](#)
- hmdb_protein, [6](#)

biospecimens
 (biospecimens, HmdbEntry-method), [2](#)

biospecimens, HmdbEntry-method, [2](#)

diseases (diseases, HmdbEntry-method), [2](#)
diseases, HmdbEntry-method, [2](#)

hmdb1, [3](#)
hmdb_disease, [5](#)
hmdb_gene, [5](#)
hmdb_omim, [6](#)
hmdb_protein, [6](#)
HmdbEntry, [3](#)
HmdbEntry-class, [4](#)

store (store, HmdbEntry-method), [7](#)
store, HmdbEntry-method, [7](#)

tissues (tissues, HmdbEntry-method), [7](#)
tissues, HmdbEntry-method, [7](#)