

# Package ‘CopyhelperR’

December 4, 2025

**Type** Package

**Title** Helper files for CopywriteR

**Version** 1.42.0

**Date** 2021-11-21

**Author** Thomas Kuilman

**Maintainer** Oscar Krijgsman <o.krijgsman@nki.nl>

**Depends** R(>= 2.10)

**Suggests** BiocStyle

**Description** This package contains the helper files that are required to run the Bioconductor package CopywriteR. It contains pre-assembled 1kb bin GC-content and mappability files for the reference genomes hg18, hg19, hg38, mm9 and mm10. In addition, it contains a blacklist filter to remove regions that display CNV. Files are stored as GRanges objects from the GenomicRanges Bioconductor package.

**License** GPL-2

**biocViews** Homo\_sapiens, GenomicSequence

**git\_url** <https://git.bioconductor.org/packages/CopyhelperR>

**git\_branch** RELEASE\_3\_22

**git\_last\_commit** f68a93d

**git\_last\_commit\_date** 2025-10-29

**Repository** Bioconductor 3.22

**Date/Publication** 2025-12-04

## Contents

|                              |          |
|------------------------------|----------|
| getPathHelperFiles . . . . . | 2        |
| <b>Index</b>                 | <b>3</b> |

---

|                    |                                               |
|--------------------|-----------------------------------------------|
| getPathHelperFiles | <i>CopyhelpR: Helper files for CopywriteR</i> |
|--------------------|-----------------------------------------------|

---

**Description**

This package contains the helper files that are required to run the CopywriteR R package (see <https://github.com/PeeperLab/CopywriteR/releases>). It contains pre-assembled 1kb bin GC-content and mappability files for the reference genomes hg18, hg19, hg38, mm9 and mm10. In addition, it contains a blacklist filter to remove regions that display CNV. Files are stored as GRanges objects from the GenomicRanges Bioconductor package.

**Usage**

```
getPathHelperFiles(ref.genome)
```

**Arguments**

|            |                                                               |
|------------|---------------------------------------------------------------|
| ref.genome | the reference genome for which the helper files are required. |
|------------|---------------------------------------------------------------|

**Details**

The getPathHelperFiles() function returns the full path to the helper files folder for the relevant reference genomes ("hg18", "hg19", "hg38", "mm9" or "mm10").

**Value**

Returns the full path to the helper files folder for the relevant reference genomes ("hg18", "hg19", "hg38", "mm9" or "mm10").

**Author(s)**

Thomas Kuilman (t.kuilman@nki.nl)

**Examples**

```
getPathHelperFiles("hg19")
```

# Index

CopyhelperR (getPathHelperFiles), [2](#)

getPathHelperFiles, [2](#)